

MAHALA

Descriptions

Product code

Product description

YG0031R53

Mahala steel ceiling light with brass finish and four frosted glass spheres Modern design and geometric shapes go perfectly with Mahala's four spherical shades in frosted glass and brass-finished steel details. The perfect way to light up any room in style.

CN

Origin country

Dimensions

Height x Width x Depth (cm) Product weight (Kg) Distance lamp-switch (cm) Distance switch-plug (cm) Cable length (cm) 72,5 cm 2,3 Kg 85 cm

Χ

17 cm

Technical drawings

Features

Use (domestic/contract/office)
Indoor (yes/no)
Alfresco (yes/no)
Outdoor (yes/no)
Type of lamp (floor/table/ceiling/wall)
Lampholder - bulb socket type

Domestic
Yes
No
Ceiling lamp

Type of plug

Protective-earth connection class

IP code

Nominal input voltage (V) Nominal input frequency (Hz) Switch (yes/no) Switch type Ш

220 50 No

Power (W) Energy class Highest energy efficiency Adjustable height (yes/no) Bulb included (yes/no) Bulb type Bulb shape Bulb brightness (Lumens) Bulb color temperature (K) Bulb color temperature description Rated bulb life (hours)	4 EA++ A++ No No
Energy efficiency	
Materials Cable characteristics Base material Base finishing Frame material Frame finishing	Stainless steel Brass N/A N/A
Shade material Shade finishing Bulb finishing	Glass Glazed N/A
assembly	
Unpacking time (min) Assembly required (yes/no) Difficulty of assembly (hard/medium/easy) People required Assembly time (min) Assembly suggestions	1
Assembly instructions	

Care & Warranties	
General warnings	Disconnect electrical power before cleaning. Do not use abrasive products like acetones, bleaches, solvents, etc. Do not wash with running water, electrical parts will be damaged.
Specific use and care instructions	Clean the product with a wet cloth dampened in a mild cleaner and dry immediately. Dust it with a duster.
Specific use and care instructions for outdoor	N/A
Years of guarantee	2
Made according to	EN 60598-1:2015+A1:2018 & EN 62493:2015 for luminaires
FSC certified (yes/no) PEFC certified (yes/no)	No N/A
FLEGT license (yes/no)	N/A
Variation type	No natural variation, Light and environment conditions may distort the color No distressing
Purposeful distressing type Additional information	This product doesn't include specific wall fittings. It requires proper closed
	sockets, wall inserts, and spikes depending on each kind of wall.

Packaging Units per lot Cbm (m3) / Gross weight (Kg) Nº of boxes	0,068 1	/	3,08		
Box 1 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)	FULL IT 90		ing light v 38 3,08	with bra x /	ass finish and four frosted glass spheres 20 2,3
Box 2 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)		x /		x /	
Box 3 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)		x /		x /	
Box 4 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg)		× /		x /	