

LITTO

Descriptions

Product code Product description M1400003MM40

Litto medium shelf module in oak veneer, 67×38 ce in oak veneer, 67×38 cm Creating the shelf of your dreams has never been easier with the Litto collection. Arrange each module where you like it most to adapt it and get the perfect pieces for your spaces. Adaptability and functionality in just one collection.

Origin country

CN

Dimensions

Height x Width x Depth (cm) Product weight (Kg) 38 cm 9,05 Kg 67 cm

(

30 cm

Technical drawings



Features

Number of drawers

Use (domestic/contract/office) Domestic Indoor (yes/no) Yes Alfresco (yes/no) No Outdoor (yes/no) No Max. load (kg) 5 Adjustable height (yes/no) N/A Adjustable height mechanism description N/A Top tilt angle range Feet pad type Nylon pad Adjustable feet (yes/no) No Doors included (yes/no) N/A Number of doors Door opening system N/A Door soft-close function (yes/no) N/A Drawers included (yes/no) N/A

| Drawer opening system | N/A |
|---|-----|
| Runner guide mechanism | N/A |
| Runner soft-close function (yes/no) | N/A |
| Drawers max. load (kg) | |
| Shelves included (yes/no) | Yes |
| Number of shelves | 1 |
| Adjustable shelves (yes/no) | No |
| Shelves max. load (kg) | 5 |
| Wall brackets antitilting included (yes/no) | Yes |

Materials

| iviateriai description | |
|--------------------------------|-----|
| Finishing description | |
| Back processed (yes/no) | Yes |
| Legs material | N/A |
| Legs finishing | N/A |
| Door material | N/A |
| Drawer material | N/A |
| Runner material of the drawers | N/A |
| | |

Shelves material Medium Density Fibers MDF with low formaldehyde emissions E0, Oak veneer (Que

Assembly

| Unpacking time (min) | 2 |
|----------------------------|------|
| Assembly required (yes/no) | Yes |
| Difficulty of assembly | Easy |
| People required | 1 |
| Assembly time (min) | 15 |

Assembly suggestions Be careful with mechanisms. Check and classify all fittings before starting the

assembly. Assemble on a soft surface.

Assembly instructions

Care & Warranties

| Do not place near direct sources of heat. Keep away from direct solar light. Do not use abrasive products like acetones, bleaches, solvents, etc. Sharp elements can scratch the product surface. |
|---|
| Clean the product with a wet cloth dampened in a mild cleaner and dry immediately. Dust it with a duster. |
| |
| Yes |
| |

| Variation type Purposeful distressing type Additional information | Light and environment conditions may distort the color perception of the No distressing Wood origin country: China | | | | |
|--|--|--------|--------------------------|--------------------|--|
| Packaging | | | | | |
| Units per lot Cbm (m3) / Gross weight (Kg) Nº of boxes | 0,045 | / | 10,65 | | |
| Box 1 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | FULL IT | | elf modul 82 10,65 | e in oak x / | veneer, 67 x 38 ce in oak veneer, 67 x 38 cm 36,5 9,05 |
| Box 2 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | | x / | | x / | |
| Box 3 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | | x / | | x / | |
| Box 4 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | | x / | | x / | |
| Box 5 Description Description box Height x Width x Depth (cm) Cbm (m3) / Gross weight (Kg) / Net weight (Kg) | | x / | | x / | |